ELECTRODES & ACCESSORIES

Maximum result both in terms of stability and precision, also under the most difficult conditions. The line of electrodes is extremely complete and makes it possible to meet any monitoring requirement.

• For adults or for paediatric use • With solid gel or liquid gel • For normal monitoring or for stress tests • FOAM or TNT/CLOTH or MICROPORE backing • Round- shaped with different diameters, oval, rectangular or square. This line of accessories offers complementary or similar articles that are in great demand. Also in the case of accessories, the continuous research and exchange of information with the final user have allowed us to manufacture high quality and extremely reliable products.



TOP TRACE LINE

MONITORING & RESTING ECG'S

NM 50 RFI

NM 55 RLI



Ø 50 mm.	Dimensions	Ø 55 mm.
Foam	Backing	Foam
Solid	Gel	Liquid
Ag/AgCl	Sensor	Ag/AgCl



40 pcs / pouch - 800 pcs / box - 9600 pcs / carton Packaging 25 pcs / pouch - 500 pcs / box - 6000 pcs / carton The most typical sizes. The most demanded supports. A proved quality always useful.



NM 42 DFI

Dimensions 45x42 mm. 42x36 mm. **Backing** Foam Foam Gel Solid Solid Sensor Ag/AgCl Ag/AgCl



Packaging 50 pcs / pouch - 1200 pcs / box - 14400 pcs / carton 50 pcs / pouch - 1200 pcs / box - 14400 pcs / carton Two multifunctional models: suitable for adult and pediatric ECG's.



NP 30 RFI

NM 2844 RFS

Ø 30 mm.	Dimensions	28x44 mm.
Foam	Backing	Foam
Solid	Gel	Solid
Ag/AgCl	Sensor	Ag/AgCl



30 pcs / pouch - 900 pcs / box - 10800 pcs / carton The classical and largely used electrode for pediatric ECG's. Excellent quality ensured also on "critical" patients.

Packaging 50 pcs / pouch - 1250 pcs / box - 15000 pcs / master carton

NM 3351 OFI NM 2844 FBI **Dimensions** 51x33 mm. 28x44 mm. **Backing** Foam Foam Gel Solid Solid Sensor Ag/AgCl - Banana plug Ag/AgCl Packaging

30 pcs / pouch - 900 pcs / box - 10800 pcs / carton

30pcs / pouch - 600pcs / box - 7200pcs / carton

TOP TRACE LINE

S	TRESS TES	ST
ST 50 RFI		ST 50 RLI
rop rop 050 mm.	Dimensions	Ø 50 mm.
T24 For For	Backing	Foam
ror Tor Solid	Gel	Liquid
Ag/AgCl	Sensor	Ag/AgCl
40pcs/pouch-800pcs/box- 9600pcs/carton RECOMMENDED FOR HOLTER The most suitable e Easy to apply and use • Strong ad	Packaging electrodes for ECG's lhesiveness • Do no	30 pcs / pouch - 600 pcs / box - 7200 pcs / carton s under difficult conditions. t irritate the skin • Highly conductive gel
MRI NON - MAGNETIC		ROUTINE ECG MONITORING
RT 50 RFI		MEDTAB Meth
g TOP TOP TO Ø 50 mm.	Dimensions	MEDIAD dtAB Mediatric 34x23 mm. Image: Comparison of the second s
Foam	Backing	Silicone coated pet film MedTAB MedTA
ror roll Solid	Gel	Solid NB MedTAB
Ag/AgCl	Sensor	Ag/AgCl
40pcs/pouch-800pcs/box-9600pcs/carton	Packaging	100 pcs / pouch - 500 pcs / box - 5000 pcs / carton This electrode entirely replaces suction chests and clamps to patient's advantage both in terms of hygiene and health.To be attached to alligator clip connectors.
MONITORING /	PRE-WIRE	D ELECTRODES 💿 😳 🤤
RE 30 LWF		RE 22 LWS
30 mm. female 4 mm	Dimensions	22 mm. sefety 1,55 mm
Foam	Backing	Foam
Solid	Gel	Solid
Ag/AgCl	Sensor	Ag/AgCl
3 pcs / pouch - 300 pcs / box Available also with 22 mm diameter Model RE 22 LWF (with 4 mm female socket)	Packaging	3 pcs / pouch - 300 pcs / box Available also with 30 mm diameter Model RE 30 LWS (with 1,55 mm safety plug)
RT 30 LWF		RT 22 LWS
30 mm. female 4 mm	Dimensions	22 mm. sefety 1,55 mm
Foam	Backing	Foam
Solid	Gel	Solid
Carbon	Sensor	Carbon
3 pcs / pouch - 300 pcs / box	Packaging	3 pcs / pouch - 300 pcs / box
Available also with 22 mm diameter Model RT 22 LWF (with 4 mm female socket)		Available also with 30 mm diameter Model RT 30 LWS (with 1,55 mm safety plug)

MEDI SENSOR LINE

MC	DNITORIN	NG & RES	TING ECG'S	
	F 50-S		F 26-S	\square
MEDI SENSOR	Ø 50 mm.	Dimensions	Ø 26 mm.	SENSOR
NED' NSOR BOS. ONCEN	Foam	Backing	Foam	MED SENSOR MED SOR
HOSNES MEM	Solid	Gel	Solid	HOSIL
	Ag/AgCl	Sensor	Ag/AgCl	BOSNES ICE
30 pcs / pouch – 12 Available also with liquid ge		Packaging	50 pcs / pouch - 2000 pcs	/ carton
H	OLTER /		NITORING	
	W 601-S		T 601-S	
JE BOSNES ICEN	Ø 55 mm.	Dimensions	Ø 55 mm	MEDI SENSOR MEDI SENSOR MEDI
	TNT	Backing	MICROPORE	HOSN SERVICE
	Solid	Gel	Solid	BOSNES ICEN
	Ag/AgCl	Sensor	Ag/AgCl	
30 pcs / pouch – 150 Available also with Ø 50 mn and also with liquid gel N	•	Packaging	30 pcs / pouch – 1500 pcs /	carton
and also with tiquid get i				
		STRESS T	EST	
	FS 50-L		F 55-L	
NED: SENSOR	Ø 50 mm.	Dimensions	Ø 55 mm.	IN SENSOR

SENSOR the second ME SOR 0 HOS BOSNES ICE BOSN3S JODH



- HOSNES	Ø 35x45 mm	Dimensions	Ø 50 mm	A
	Foam	Backing	Foam	MEDI SENSOR MEDI SENSOR MEDI SENSOR MEDI SENSOR MEDI SOR SOR SOR
	Solid	Gel	Solid	HOSN CERTBOS CERT
PENCOT	Ag/AgCl	Sensor	Carbon	SENSOL SENSOL
50 pcs	/ pouch – 2000 pcs / carton	Packaging	30 pcs / poucl	_ h – 1200 pcs / carton
				G monitoring, radiolucent application included! SO FOR PEDIATRIC, Ø 26 mm, MODEL F 26-S BLUE

SUCTION CHEST **ELECTRODES**



Ag/AgCl sensor to guarantee maximum reliability in signal transmission.

Available in three sizes: Ø15 mm for • pediatric use $/\emptyset$ 24 mm and \emptyset 30 mm for adult use.



RUBBER LIMB &

For attaching electrodes • for limb use - one Classical-designed clamps with an improved use - one hole (32mm x 135cm), six holes (100mm x 135cm).



hole (15 mm x 40 cm / 25 mm x 45 cm), quality. Ag/AgCl to ensure excellent signal - two holes (32mm x 45cm) - for thoracic transmission • Silver component to prevent distortions and to increase efficiency • Universal connection.



ELECTROSURGICAL PLATES WITH A SUPERIOR QUALITY

• Made of FOAM suitable to obtain perfect results with all instruments • manufactured and tested in compliance with EN 60601-1/EN 60601-2/AAMI-HF 18 • available with one zone and two zones and REM alarm for adults (adhesive surface 215 sq cm), for children (surface 129 sq cm) and for new born (surface 63 sq cm). All the models are available even equipped with cables.



A wide range of pads suitable for all the defibrillators available. Raw material quality and attention to details resulted into an absolutely reliable range of products.

Universal without cable or equipped with cable, having a specific connector to comply with all instruments.



DEFIBRILLATOR

PADS



• Superior quality • available with single or double cable • lead wire with 2 mm socket or press-stud connection • manufactured in compliance with EN ISO 9001 and AAMI standards.



A broad range of sensors to monitor and detect the arterial oxygen saturation. Excellent quality and proven accuracy are the characteristics that better describe a whole series of disposable and reusable sensors. Suitable for all the main fittings spread on the market.



A) BRIDGE ELECTRODES Made of silver/silver chloride to optimize signal transmission. Slightly curved support to improve head adaption.
B) SILICONE HEADCAPS With 2 or 4 adjustable bands to fit for various requirements. Anatomically-designed earmuffs. Available in three sizes (Small-Medium-Large);

C) SPECIAL INK FOR EEG Suitable & excellent for all devices (Siemens excluded), allowing a perfect trace without blurs. Black colour- 1 litre bottle D) DISC ELECTRODES Available in silver/silver chloride or gold - 10 mm diameter- With 120-150-200-250 cm lead wire & DIN 42802 safety plug - 10 electrodes per set with coloured lead wires (10 colours available);

E) DISPOSABLE CONCENTRIC NEEDLES FOR ELECTROMYOGRAPHY Ergonomic handgrip and extremely sharp point – Equipped with wings for automatic unfastening -Shielded, light & flexible lead wire with 5 pole DIN 45322 connector and entirely shielded handgrip. Different diameters (from 0.30 to 0.60 mm) and different lengths (from 25 to 75 mm) – 25 pcs per packing.



Made of material particularly resistant to saliva or manipulation, perfectly hygienic, without residues and non-allergic • can be used on most spirometers of the most important brands present on the market • available in the external diameters 22-26-28-30 and 34 mm, but in case of large orders the customer can request a specific diameter • boxes of 500 pcs • an extremely handy dispenser is available on customer's demand.



www.ceracarta.it - email: export@ceracarta.it